DATASHEET

Keystone distribution box surface mounting, Dust protection self-closing

Article no.

RTS - RTD









Description

Specifications

For 1 or 2 keystone modules from the EFB-Elektronik portfolio

Colour: pure white, RAL9010

Material: ABS

Suitable for wall mounting

Dust cap self closing

Labeling field hinged

Delivery without modules

Scope of delivery:

1 x case

1 x double sided tape

1 x cable tie

2 x self tapping screws 4x14

General data		
Category	-	
Flush-mounted installation/build in installation	False	
Duct installation	False	
Surface mounted	True	

This datasheet was created automatically on 29-11-2018. Technical changes reserved.

DATASHEET

Keystone distribution box surface mounting, Dust protection self-closing

Article no.
RTS - RTD

General data		
Floor box/sub-floor mounted	False	
Type of fastening	-	
Type of connector	RJ45 8(8)	
Connector housing	-	
Material connector of connector housing	plastic	
Connection type	other	
Shielded buses	False	
Shielded housing	False	
Separate earthing connection	False	
With label space	False	
Separate strain relief	False	
Mounting method shielding connection	without	
Outlet direction	straight	
With dust cover	True	
Degree of protection (IP)	-	
Mechanical coding	-	
Colour coding	-	

Environmental conditions	
Ambient temperature	3 – °C

Available variants			
Article i	no. Title	Suitable for number of connectors	
RTS	Keystone distribution box surface mounting, 1-Port, Dust protection self- closing	1	
RTD	Keystone distribution box surface mounting, 2-Port, Dust protection self- closing	2	


DATASHEET


Keystone distribution box surface mounting, Dust protection self-closing


Article no.


RTS - RTD

Technical drawings

















This datasheet was created automatically on 29-11-2018 . Technical changes reserved.