

DATASHEET

IP68 Cable gland for RJ45 field assembly plugs, sealing for 6.5-9.0mm OD



General data

IP68 cable gland for RJ45 field-assembly plugs
With bayonet lock to IEC61076-3-106
Straight outlet 180 °

Delivery unequipped

Scope of delivery: 3-part consisting of:
1x IP68 cable gland housing (without plug)
1x Cable seal IP68FST6AA: 6,5 - 9,0 mm
1x Strain relief fitting

Accessories:

IP68 Cap: IP68STCAP
Field assembly plug: 88035.1, 88035P8.1, 88035UTP.1, 88035AV.1, IVB-6A-S

Allgemeine Daten

With dust cover	True
Assembly arrangement	base element with complete housing
With strain relief	True

This datasheet was created automatically on 30-09-2024 . Technical changes reserved.



DATASHEET

IP68 Cable gland for RJ45 field assembly plugs, sealing for 6.5-9.0mm OD

Suitable for degree of protection (IP)	IP68
Type of fastening	screw mounting

General data

Material quality	Duroplast
Material	Plastic

Mechanische Eigenschaften

Type of locking	Bayonet lock
-----------------	--------------

Elektrische Eigenschaften

Temperature	-40 / +85 Celsius
-------------	-------------------

Available variants





ArtNr.	Bezeichnung	Colour
IP68FST6AB	IP68 Cable gland for RJ45 field assembly plugs, sealing for 6.5-9.0mm OD	black

Drawings

This datasheet was created automatically on 30-09-2024 . Technical changes reserved.

DATASHEET

IP68 Cable gland for RJ45 field assembly plugs, sealing for 6.5-9.0mm OD



This datasheet was created automatically on 30-09-2024 . Technical changes reserved.