LATIGUILLO CAT. 6 SFTP LSZH

Description

The shielded Cat.6 RJ45 patch cable with ensures excellent performance for 5 Gigabit Ethernet applications.

Cross section 4 x 2 x AWG27/7
Moulded grommet **(patented)**
Length imprint on the boot

TECHNICAL PARAMETERS

General data	
Category	OM5
Type of connector connection 1	RJ45 8(8)
Type of connector connection 2	RJ45 8(8)
Connector type	RJ45 Standard
Contacts	Gold plated
Pin assignment	1:1
Allocation	acc. TIA/EIA 568B
Type	Shielded
Length imprint	yes
Anti-kink sleeve	moulded
Colour anti-kink sleeve	grey
Locking lever	yes

Las especificaciones están sujetas a cambios sin previo aviso.

TECHNICAL PARAMETERS

Mechanical characteristics	
Mating cycles	2000
Bending radius	>31 mm
Conductive shield	Selected shield contact

Cable construction	
Cable type	S/FTP
Cable construction	4x2
AWG-size	27/7
Conductor Material	Copper

Cable sheath	
Silicone-free	yes
Jacket material	LSZH
Colour outer sheath	grey
Printing	Cat.6 S/FTP 4x2xAWG27/7 PIMF ISO/IEC 11801 & EN50173-1 TIA/EIA 568B.2-1 Halogen Free ***Gigabit***
Outer diameter of the cable	6.2 mm
Flame-retardant	acc. IEC60332-1
Halogen-free	yes
Low smoke	yes

Environmental conditions	
Temperature range	0 – 60 °C

Electrical characteristics	
NVP value	- %
Conductor resistance DC	185 Ω/km
Loop resistance	370 Ω/km
Resistance unbalance	5 %
Insulation resistance	10 MΩ
Contact resistance	30 mΩ
POE class	PoE acc. to IEEE802.3af;PoE+ acc. to IEEE802.3at;4PPoE acc. to IEEE802.3bt

Transmission characteristics	
Bandwidth	250MHz
Transmission	5Gbit

Standards, approvals, certifications	
Connector	IEC 60603-7-5

Las especificaciones están sujetas a cambios sin previo aviso.

Calle del Horno, 84-85,
Polígono Industrial “Villa de Azaña”
45230 Numancia de la Sagra (TOLEDO)

info@sunprored.es
comercial@sunprored.es

915 00 79 63

Available variants

Article no.	Title	Length	Length tolerance
K5510.0,15	RJ45 Patch cable S/FTP, Cat.6, LSZH, 0.15m, grey	0.15 m	±5 %
K5510.0,25	RJ45 Patch cable S/FTP, Cat.6, LSZH, 0.25m, grey	0.25 m	±5 %
K5510.0,5	RJ45 Patch cable S/FTP, Cat.6, LSZH, 0.5m, grey	0.5 m	±5 %
K5510.0,75	RJ45 Patch cable S/FTP, Cat.6, LSZH, 0.75m, grey	0.75 m	±5 %
K5510.1	RJ45 Patch cable S/FTP, Cat.6, LSZH, 1m, grey	1.0 m	±5 %
K5510.1,5	RJ45 Patch cable S/FTP, Cat.6, LSZH, 1.5m, grey	1.5 m	±5 %
K5510.2	RJ45 Patch cable S/FTP, Cat.6, LSZH, 2m, grey	2.0 m	±5 %
K5510.3	RJ45 Patch cable S/FTP, Cat.6, LSZH, 3m, grey	3.0 m	±5 %
K5510.5	RJ45 Patch cable S/FTP, Cat.6, LSZH, 5m, grey	5.0 m	±5 %
K5510.7,5	RJ45 Patch cable S/FTP, Cat.6, LSZH, 7.5m, grey	7.5 m	±5 %
K5510.10	RJ45 Patch cable S/FTP, Cat.6, LSZH, 10m, grey	10.0 m	±5 %
K5510.15	RJ45 Patch cable S/FTP, Cat.6, LSZH, 15m, grey	15.0 m	±5 %
K5510.20	RJ45 Patch cable S/FTP, Cat.6, LSZH, 20m, grey	20.0 m	±5 %
K5510.25	RJ45 Patch cable S/FTP, Cat.6, LSZH, 25m, grey	25.0 m	±5 %
K5510.30	RJ45 Patch cable S/FTP, Cat.6, LSZH, 30m, grey	30.0 m	±5 %
K5510.40	RJ45 Patch cable S/FTP, Cat.6, LSZH, 40m, grey	40.0 m	±5 %
K5510.50	RJ45 Patch cable S/FTP, Cat.6, LSZH, 50m, grey	50.0 m	±5 %

Technical drawings



Las especificaciones están sujetas a cambios sin previo aviso.